

9/6/13

| Document ID | Issue Date | Pages | Title | Current OR | Current XRef | Retrieval Classif |
|---------------------|------------|-------|--|------------|--|-------------------|
| 1 US 20020054135 A1 | 200200509 | 38 | Information processing device, information processing method, and computer-readable storage medium storing program for executing this method on a computer | 345/788 | 345/781 | |
| 2 US 20020030649 A1 | 20020314 | 45 | Wireless communication device having a color sequential display | 345/87 | | |
| 3 US 20010024193 A1 | 20010927 | 13 | Written command | 345/173 | 345/179 | |
| 4 US 6452572 B1 | 20020917 | 75 | Monocular head-mounted display system | 345/8 | 345/7; | |
| 5 US 6349001 B1 | 20020219 | 19 | Eyeglass interface system | 359/618 | 345/8; 351/123; 351/158; 351/50; 359/630 | |
| 6 US 6008810 A | 19991228 | 18 | Mobile client computer programmed for system message display | 345/809 | 345/156; 345/173; 345/733; 345/788; | |
| 7 US 5552806 A | 19960903 | 8 | Method and apparatus for positioning selectable function icons on a display | 345/156 | 345/173; 345/702; 345/835 | |
| 8 US 4896370 A | 19900123 | 28 | Control system for microprocessor and software enhanced communications equipment | 455/77 | 345/168; 455/347; 455/566; 455/575 | |

| Type | L # | Hits | Search Text | DBS | Time Stamp | Comment s | Error Definition | Errorors |
|------|-----|------|--------------------------------|---|----------------------|-----------|------------------|----------|
| 1 | BRS | L1 | 47204345/\$.ccls. | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- | 2002/09/2 2 11:08 | | | 0 |
| 2 | BRS | L2 | 995 telephone near transceiver | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- | 2002/09/2 2 11:08 | | | 0 |
| 3 | BRS | L3 | 29852 portable or handheld | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- | 2002/09/2 2 11:09 | | | 0 |

| Type | L # | Hits | Search Text | DBs | Time Stamp | Comment s | Error Definition | Error rs |
|------|-----|------|-----------------------------|---|----------------------|-----------|------------------|----------|
| 4 | BRS | L4 | 99049LCD | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB_ | 2002/09/2 2 11:10 | | | 0 |
| 5 | BRS | L5 | 4 1 and 2 and 3 and 4 | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB_ | 2002/09/2 2 11:13 | | | 0 |
| 6 | BRS | L6 | 0 1 and 2 and 3 and Bertham | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB_ | 2002/09/2 2 11:13 | | | 0 |

| Type | L # | Hits | Search Text | DBs | Time Stamp | Comment s | Error Definition | Error ro rs |
|-------|-----|------|---------------|---------------------------------|--------------------------------------|----------------------|------------------|-------------|
| 7 BRS | L7 | 8 | 1 and 2 and 3 | USPA T; US-P GPUB ; | EPO; JPO; DERW ENT; IBM_ | 2002/09/2 2 11:13 | 0 | |

09910131

| | L # | Hits | Search Text | Type | DBs |
|---|-----|-------|-----------------------|------|---|
| 1 | L1 | 2 | 5805157.pn. | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |
| 2 | L2 | 2 | 5633912.pn. | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |
| 3 | L3 | 27917 | mobile near telephone | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |

| L # | Hits | Search Text | Type | DBs |
|-----|------|--------------------------------|------|---|
| 4 | L4 | 2017 wireless near transceiver | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |
| 5 | L5 | 99049 LCD | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |
| 6 | L6 | 8 3 and 4 and 5 | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |

| L # | Hits | Search Text | Type | DBs |
|------|------|------------------|------|---|
| 7 L7 | 144 | 3 and 4 | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |
| 8 L8 | 4923 | flat adj display | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |
| 9 L9 | 0 | 7 and 8 | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |

| | L # | Hits | Search Text | Type | DBs |
|----|-----|--------------------|---------------|------|---|
| 10 | L10 | 71 | 7 and display | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |
| 11 | L11 | 63754455/\$.cc1.s. | | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |
| 12 | L12 | 71434379/\$.cc1.s. | | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |

| | L # | Hits | Search Text | Type | DBs |
|----|-----|------|-------------|------|---|
| 13 | L13 | 36 | 10 and 11 | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |

| | L # | Hits | Search Text | Type | DBs |
|---|-----|------|----------------------------|------|---|
| 1 | L1 | 2 | 5805157.pn. | BRS | USPA T; US-P GPUB ; |
| 2 | L2 | 2 | 5633912.pn. | BRS | EPO; JPO; DERW ENT; IBM — TDB— USPA T; US-P GPUB ; |
| 3 | L3 | 2 | 27917mobile near telephone | BRS | EPO; JPO; DERW ENT; IBM — TDB— USPA T; US-P GPUB ; |

09/22/2002, EAST Version: 1.03.0002

| | L # | Hits | Search Text | Type | DBs |
|---|-----|-------|------------------------------|------|---|
| 4 | L4 | 2017 | wireless near transceiver | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |
| 5 | L5 | 99049 | LCD | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |
| 6 | L6 | 8 | 3 and 4 and 5 | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |

| L # | Hits | Search Text | Type | DBs |
|------|------|------------------|------|---|
| 7 L7 | 144 | 3 and 4 | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |
| 8 L8 | 4923 | flat adj display | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |
| 9 L9 | 0 | 7 and 8 | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |

| L # | Hits | Search Text | Type | DBs |
|-----|------------------------|---------------|------|---|
| 10 | L10 71 | 7 and display | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |
| 11 | L11 63754455/\$.cc1\$. | | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |
| 12 | L12 71434379/\$.cc1\$. | | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |

09/22/2002, EAST Version: 1.03.0002

| | L # | Hits | Search Text | Type | DBs |
|----|-----|------|-------------|------|---|
| 13 | L13 | 36 | 10 and 11 | BRS | USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB- |

| | Document ID | Issue Date | Pages | Title | Current OR | Current XRef |
|---|-------------------------|------------|-------|---|------------|---------------------------------|
| 1 | US A1 20020128030 | 20020912 | 15 | Group creation for wireless communication terminal | 455/519 | 455/518 |
| 2 | US A1 20020123335 | 20020905 | 12 | Method and apparatus for provisioning a mobile station over a wireless network | 455/419 | 455/426; 455/466 |
| 3 | US A1 20020102996 | 20020801 | 28 | System and method of accessing and recording messages at coordinate way points | 455/456 | 342/357.12 |
| 4 | US A1 20020098832 | 20020725 | 9 | Intelligent personalized customer service | 455/414 | 455/456 |
| 5 | US A1 20020065041 | 20020530 | 17 | Method and system for wirelessly autodialing a telephone number from a record stored on a personal information device | 455/41 | 455/410; 455/411 |
| 6 | US A1 20020052193 | 20020502 | 28 | Universal portable unit | 455/412 | 455/410; 455/411; 455/550 |
| 7 | US A1 20020037715 | 20020328 | 126 | Enhanced wireless handset, including direct handset-to-handset communication mode | 455/421 | 455/445; 455/517 |
| 8 | US A1 20020025828 | 20020228 | 12 | Apparatus for reducing auto-correlation or cross-correlation in weak CDMA signals | 455/550 | 455/456 |
| 9 | US A1 20020006787 | 20020117 | 8 | Pocket concierge and multimedia, wireless call center system and method | 455/419 | 370/913 |

| | Document ID | Issue Date | Pages | Title | Current OR | Current XRef |
|----|----------------------|-------------------|--------------|---|-------------------|--|
| 10 | US A1 20010049262 | 20011206 | 11 | Hands-free function | 455/41 | 375/256; 455/568 |
| 11 | US A1 20010022558 | 20010920 | 167 | Wireless location using signal fingerprinting | 342/450 | 455/456 |
| 12 | US B1 6453155 | 20020917 | 12 | Shapeable communication device | 455/90 | 379/430; 379/433.01 |
| 13 | US B2 6438585 | 20020820 | 24 | System and method for redirecting message attachments between a host system and a mobile data communication device | 709/206 | 340/7.21; 340/7.29; 340/7.51; |
| 14 | US B1 6424826 | 20020723 | 26 | Systems and methods for sharing reference frequency signals within a wireless mobile terminal between a wireless transceiver and a global positioning system receiver | 455/255 | 455/259; 455/314; 455/552 |
| 15 | US B1 6411891 | 20020625 | 66 | Advance notification system and method utilizing user-definable notification time periods | 701/201 | 342/357.07 ; 342/457; 342/457; 455/12.1; 455/13.1; 455/13.2; 701/117; 701/209; 701/210 |

| | Document ID | Issue Date | Pages | Title | Current OR | Current XRef |
|----|--------------------|-------------------|--------------|--|-------------------|---|
| 16 | US B1 6393296 | 20020521 | 6 | E-mail access from cellular/PCS phones using user agents | 455/466 | 455/412 |
| 17 | US B1 6377793 | 20020423 | 29 | System and method of accessing and recording messages at coordinate way points | 455/412 | 455/414; 455/456 |
| 18 | US B1 6359880 | 20020319 | 21 | Public wireless/cordless internet gateway | 370/352 | 370/328; 455/433; 455/435 |
| 19 | US B1 6298250 | 20011002 | 21 | Wireless prepaid telephone system with extended capability | 455/569 | 455/408 |
| 20 | US B1 6240285 | 20010529 | 12 | Alternative carrier selection on repeat emergency calls | 455/404 | 455/460; 455/564 |
| 21 | US A 6164531 | 20001226 | 14 | User interface card for use with a device | 235/380 | 235/38; 361/737; 379/444; 455/90 |
| 22 | US A 6118986 | 20000912 | 15 | Device for use with a user interface card | 455/90 | 235/441; 455/558 |
| 23 | US A 6097817 | 20000801 | 36 | Encryption and decryption in communication system with wireless trunk | 380/270 | 380/247; 380/248; 380/249; 455/410; 455/422; 455/455 |
| 24 | US A 6085080 | 20000704 | 13 | Rejection of incoming and outgoing calls in WLL terminal | 455/403 | 455/425 |

| Document ID | Issue Date | Pages | Title | Current OR | Current XRef |
|-----------------|------------|-------|---|------------|---|
| 25 US A 6041222 | 200000321 | 25 | Systems and methods for sharing reference frequency signals within a wireless mobile terminal between a wireless transceiver and a global positioning system receiver | 455/255 | 455/188.1; 455/259; 455/575 |
| 26 US A 5920815 | 19990706 | 18 | Personal phone number system | 455/426 | 455/417; 455/461; 455/552 |
| 27 US A 5761618 | 19980602 | 20 | Updating technique for downloading new system identification (SID) list into a handset | 455/419 | 455/432; 455/435; 455/436; 455/517; 455/552 |
| 28 US A 5745532 | 19980428 | 109 | System for wireless transmission and receiving of information and method of operation thereof | 375/347 | 455/504 |
| 29 US A 5717725 | 19980210 | 124 | System for wireless transmission and receiving of information through a computer bus interface and method of operation | 375/347 | 455/504; 714/776 |
| 30 US A 5673308 | 19970930 | 19 | Personal phone number system | 455/461 | 455/417; 455/426; 455/445; 455/462 |
| 31 US A 5400020 | 19950321 | 15 | Advance notification system and method | 340/994 | 340/992; 455/403 |

| | Document ID | Issue Date | Pages | Title | Current OR | Current XRef |
|----|--------------|------------|-------|---|------------|---|
| 32 | US 5056153 A | 19911008 | 17 | Mobile electric accessory apparatus | 455/556 | 455/133; 455/277.1; 455/297; 455/343; 455/562 |
| 33 | US 5029233 A | 19910702 | 12 | Radio arrangement having two radios sharing circuitry | 455/552 | 455/186.1 |
| 34 | US 4922517 A | 19900501 | 16 | System for interfacing a standard telephone set with a radio transceiver | 455/426 | 455/557; 455/74.1 |
| 35 | US 4775997 A | 19881004 | 17 | System for interfacing a standard telephone set with a radio transceiver | 455/557 | 455/554; 455/564 |
| 36 | US 4737975 A | 19880412 | 21 | Programmable system for interfacing a standard telephone set with a radio transceiver | 455/418 | 455/557 |